

Refrigeration

Whether cooling or freezing, our comprehensive offering from Salvadore and Brema are guaranteed to preserve food, minimise waste and cater to your drinks service needs.

Section Index

Back Bar Coolers	87
Frozen Yogurt/Soft Ice Machine	94
Ice Bins	86
Ice Flaker	83
Ice Makers - Fast Ice	85
Ice Makers - Gourmet Cubes	83, 84
Juice Dispensers	92
Refrigerators & Freezers	90 - 91
Slush Machines	93
Under Bar Fridges	88 - 89
Wine Cooler	92



5 REASONS WHY

- 2 year warranty
- International brand established in 1985
- Italian designed and manufactured to the highest international standards
- Constant research and development with latest technologies
- Solutions for all drink service needs



5 REASONS WHY

- Established brand since 2009
- Designed and manufactured to withstand commercial kitchen demands
- Solutions for all your refrigeration needs
- Front and back of house products that offer unique solutions
- Compact and practical products in modern designs



5 REASONS WHY

- Established brand since 2009
- Designed and manufactured to withstand commercial kitchen demands
- Ideal for front and back of house applications
- Sleek and modern designs to enhance any establishment
- Practical and robust products for everyday use

ICE FLAKER - SELF CONTAINED

2 YEAR
WARRANTY



153KG / 24HRS

IFB0150

SPECIFICATIONS

DIMENSIONS	: 738 X 690 X 1020MM
WEIGHT	: 94KG
STORAGE	: 55KG
OUTPUT	: 153KG / 24HRS
POWER	: 0.70kW, 220V - 240V, 50Hz
REFRIGERANT	: R290

Note

Installation requires a ventilated room, water connection and a waste drainage.

ICE MAKERS - GOURMET CUBE - SELF CONTAINED

2 YEAR
WARRANTY



29KG / 24HRS

IMB0028

SPECIFICATIONS

DIMENSIONS	: 387 X 470 X 687MM
WEIGHT	: 32KG
STORAGE	: 9KG
OUTPUT	: 29KG / 24HRS
POWER	: 0.27kW, 220V - 240V, 50Hz
TYPE OF CUBES	: 18G
REFRIGERANT	: R290

2 YEAR
WARRANTY



38KG / 24HRS

IMB0033

SPECIFICATIONS

DIMENSIONS	: 497 X 592 X 687MM
WEIGHT	: 40KG
STORAGE	: 16KG
OUTPUT	: 38KG / 24HRS
POWER	: 0.34kW, 220V - 240V, 50Hz
TYPE OF CUBES	: 18G
REFRIGERANT	: R290

2 YEAR
WARRANTY



48KG / 24HRS

IMB0046

SPECIFICATIONS

DIMENSIONS	: 497 X 592 X 797MM
WEIGHT	: 46KG
STORAGE	: 25KG
OUTPUT	: 48KG / 24HRS
POWER	: 0.45kW, 220V - 240V, 50Hz
TYPE OF CUBES	: 18G
REFRIGERANT	: R290

Note

Installation requires a ventilated room, water connection and a waste drainage.

ICE MAKERS - GOURMET CUBE - SELF CONTAINED

2 YEAR WARRANTY



72KG / 24HRS

IMB0065

SPECIFICATIONS

DIMENSIONS	: 735 X 603 X 850MM
WEIGHT	: 67KG
STORAGE	: 40KG
OUTPUT	: 72KG / 24HRS
POWER	: 0.59kW, 220V - 240V, 50Hz
TYPE OF CUBES	: 18G
REFRIGERANT	: R290



2 YEAR WARRANTY



95KG / 24HRS

IMB0090

SPECIFICATIONS

DIMENSIONS	: 735 X 603 X 1010MM
WEIGHT	: 74KG
STORAGE	: 55KG
OUTPUT	: 95KG / 24HRS
POWER	: 0.87kW, 220V - 240V, 50Hz
TYPE OF CUBES	: 18G
REFRIGERANT	: R290



2 YEAR WARRANTY



134KG / 24HRS

IMB0130

SPECIFICATIONS

DIMENSIONS	: 840 X 740 X 1075MM
WEIGHT	: 113KG
STORAGE	: 65KG
OUTPUT	: 134KG / 24HRS
POWER	: 1.25kW, 220V - 240V, 50Hz
TYPE OF CUBES	: 18G
REFRIGERANT	: R290



Note

Installation requires a ventilated room, water connection and a waste drainage.

ICE CUBER - GOURMET CUBE - MODULAR

2 YEAR WARRANTY



300KG / 24HRS

IMB0300

SPECIFICATIONS

DIMENSIONS	: 1250 X 580 X 848MM
WEIGHT	: 152KG
OUTPUT	: 300KG / 24HRS
POWER	: 2.6kW, 220V - 240V, 50Hz
	: Single phase
TYPE OF CUBES	: 18G
BIN TYPE	: IMB1300 - (Sold Separately)
REFRIGERANT	: R452A



ICE MAKERS - FAST ICE - MODULAR

2 YEAR
WARRANTY



140KG / 24HRS

IMB0140

SPECIFICATIONS

DIMENSIONS	: 540 X 544 X 747MM
WEIGHT	: 73KG
OUTPUT	: 140KG / 24HRS
POWER	: 1.4kW, 220V - 240V, 50Hz
BIN TYPE	: IMB0180 - 220KG - (Sold Separately)
TYPE OF CUBES	: 7G
REFRIGERANT	: R452A

2 YEAR
WARRANTY



200KG / 24HRS

IMB0200

SPECIFICATIONS

DIMENSIONS	: 770 X 550 X 805MM
WEIGHT	: 90KG
OUTPUT	: 200KG / 24HRS
POWER	: 1.6kW, 220V - 240V, 50Hz
BIN TYPE	: IMB0180 / IMB0380 - 220KG - (Sold Separately)
TYPE OF CUBES	: 7G
REFRIGERANT	: R452A

2 YEAR
WARRANTY



400KG / 24HRS

IMB0400

SPECIFICATIONS

DIMENSIONS	: 770 X 550 X 805MM
WEIGHT	: 113KG
OUTPUT	: 400KG / 24HRS
POWER	: 3kW, 220V - 240V, 50Hz
BIN TYPE	: IMB0380 - 320KG - (Sold Separately)
TYPE OF CUBES	: 7G
REFRIGERANT	: R452A



ICE BINS - S/STEEL



220KG **IMB0180**

SPECIFICATIONS

DIMENSIONS	: 780 X 750 X 1130MM (Includes legs)
STORAGE	: 220KG
SUITABLE FOR	: IMB0140 / IMB0200 - (Sold Separately)
WEIGHT	: 57KG



320KG **IMB0380**

SPECIFICATIONS

DIMENSIONS	: 1200 X 750 X 1130MM (Includes legs)
STORAGE	: 320KG
SUITABLE FOR	: IMB0400 - (Sold Separately)
WEIGHT	: 100KG



500KG **IMB1300**

SPECIFICATIONS

DIMENSIONS	: 1250 X 900 X 1500MM (Includes legs)
STORAGE	: 500KG
SUITABLE FOR	: IMB0300 - (Sold Separately)
WEIGHT	: 65KG



BACK BAR COOLERS

Salvadore will be using a new, more environmentally friendly insulation material, called cyclopentane, in the manufacture of select units.

Cyclopentane is a blowing agent for the polyurethane foams that are used to insulate refrigerators and freezers. Unlike other chemicals used to insulate refrigerators, cyclopentane does not contain hydro-fluorocarbons (HFCs). Using cyclopentane results in significant reductions in equivalent CO2 emissions.

FEATURES

- Roll-bond evaporator system with fan assisted cooling
- Automatic compressor cycle defrost
- Foaming agent cyclopentane (40MM per side)
- Digital thermostat
- Self closing door
- Adjustable shelves
- Toughened safety tempered glass
- Lock fitted as standard
- Adjustable feet



SINGLE HINGED DOOR

BBC1001

SPECIFICATIONS

CAPACITY	: 133LT
NUMBER OF SHELVES	: 2 (Included)
VOLTAGE	: 230V 50Hz
REFRIGERANT	: R600a
POWER CONSUMPTION	: 1.393kW / 24HRS
DIMENSIONS	: 600 X 520 X 850MM
WEIGHT	: 44KG



DOUBLE HINGED DOOR

BBC1002

SPECIFICATIONS

CAPACITY	: 201LT
NUMBER OF SHELVES	: 4 (Included)
VOLTAGE	: 230V 50Hz
REFRIGERANT	: R600a
POWER CONSUMPTION	: 1.339kW / 24HRS
DIMENSIONS	: 900 X 520 X 850MM
WEIGHT	: 62KG



TRIPLE HINGED DOOR

BBC1003

SPECIFICATIONS

CAPACITY	: 320LT
NUMBER OF SHELVES	: 6 (Included)
VOLTAGE	: 230V 50Hz
REFRIGERANT	: R600a
POWER CONSUMPTION	: 2.109kW / 24HRS
DIMENSIONS	: 1350 X 520 X 850MM
WEIGHT	: 80KG

UNDERBAR FRIDGES - SOLID DOOR

FEATURES

- Temperature range 2°C - 6°C
- 4 Swivel castors, 2 with brake
- Digital temperature controller
- Spring loaded door mechanism
- Automatic defrosting
- 1 Shelf per full door
- Fitted with Embraco compressor
- Full S/Steel interior



1 AND HALF DOOR

UFS7012-R02

SPECIFICATIONS

POWER	: 2.5 kW
VOLTAGE	: 230V~/50Hz
UNIT	: 1180 X 750 X 900MM
WEIGHT	: 86KG
TEMPERATURE	: 2°C - 6°C
CAPACITY	: 320LT
SHELVES	: 1 per full door



2 AND HALF DOOR

UFS7018-R02

SPECIFICATIONS

POWER	: 2.5 kW
VOLTAGE	: 230V~/50Hz
UNIT	: 1780 X 750 X 900MM
WEIGHT	: 110KG
TEMPERATURE	: 2°C - 6°C
CAPACITY	: 550LT
SHELVES	: 1 per full door



3 AND HALF DOOR

UFS7024-R02

SPECIFICATIONS

POWER	: 3 kW
VOLTAGE	: 223V~/50Hz
UNIT	: 2380 X 750 X 900MM
WEIGHT	: 139KG
TEMPERATURE	: 2°C - 6°C
CAPACITY	: 780LT
SHELVES	: 1 per full door

UNDERBAR FRIDGES - PIZZA TOP - SOLID DOOR

FEATURES

- Temperature range 2°C - 6°C
- 4 Swivel castors, 2 with brake
- Digital temperature controller
- Spring loaded door mechanism
- Automatic defrosting
- 1 Shelf per full door
- Fitted with Embraco compressor
- Full S/Steel interior



2 AND HALF DOOR

UPS7018-R02

SPECIFICATIONS

POWER	: 2.5 kW
VOLTAGE	: 230V~/50Hz
UNIT	: 1780 X 750 X 900MM
WEIGHT	: 110KG
TEMPERATURE	: 2°C - 6°C
CAPACITY	: 550LT
SHELVES	: 1 per full door



3 AND HALF DOOR

UPS7024-R02

SPECIFICATIONS

POWER	: 3 kW
VOLTAGE	: 230V~/50Hz
UNIT	: 2380 X 750 X 900MM
WEIGHT	: 139KG
TEMPERATURE	: 2°C - 6°C
CAPACITY	: 780LT
SHELVES	: 1 per full door

NOTE

Inserts not included



REFRIGERATOR AND FREEZER - S/STEEL

The Salvadore range of commercial upright refrigerators and freezers are vital for any restaurant, bakery, catering business or other foodservice establishments. Use our Salvadore upright refrigerators to keep items like meat, vegetables, fruits and garnishes fresh and within reach. Our Salvadore upright freezers will keep your ice cream and any other products frozen until they are ready to be used. Our units are available with solid doors for ease of cleaning and provides for good insulation.

FEATURES

- High density insulation
- Grade 304 S/Steel construction
- GN2/1 shelf size
- GN pan or wire shelf uses same rails
- Rounded internal corners for easy cleaning
- Self-closing doors with lock
- Digital controller with constant digital display
- European compressors and fans
- Lockable castors



COMMERCIAL REFRIGERATOR SINGLE DOOR

CKR0830-R02

SPECIFICATIONS

CAPACITY	: 580LT
NUMBER OF DOORS	: 1
SHELVES PER DOOR	: 3
TEMPERATURE RANGE	: 0°C to +10°C
REFRIGERANT	: R134a
VOLTAGE	: 230V - 50Hz
INTERIOR DIMENSION	: 588 X 682 X 1395MM
OUTSIDE DIMENSIONS	: 738 X 818 X 1980MM
WEIGHT	: 118KG



COMMERCIAL FREEZER SINGLE DOOR

CKF0830-R02

SPECIFICATIONS

CAPACITY	: 580LT
NUMBER OF DOORS	: 1
SHELVES PER DOOR	: 3
TEMPERATURE RANGE	: -10°C to -22°C
REFRIGERANT	: R404a
VOLTAGE	: 230V - 50Hz
INTERIOR DIMENSIONS	: 588 X 682 X 1395MM
OUTSIDE DIMENSIONS	: 738 X 818 X 1980MM
WEIGHT	: 122KG



REFRIGERATOR AND FREEZER - S/STEEL



COMMERCIAL REFRIGERATOR DOUBLE DOOR

CKR1480-R02

SPECIFICATIONS

CAPACITY	: 1200LT
NUMBER OF DOORS	: 2
SHELVES PER DOOR	: 3
TEMPERATURE RANGE	: 0°C to +10°C
REFRIGERANT	: R134a
VOLTAGE	: 230V - 50Hz
INTERIOR DIMENSIONS	: 1275 X 682 X 1395MM
OUTSIDE DIMENSIONS	: 1425 X 818 X 1980MM
WEIGHT	: 181KG



COMMERCIAL FREEZER DOUBLE DOOR

CKF1480-R02

SPECIFICATIONS

CAPACITY	: 1200LT
NUMBER OF DOORS	: 2
SHELVES PER DOOR	: 3
TEMPERATURE RANGE	: -10°C to -22°C
REFRIGERANT	: R404a
VOLTAGE	: 230V - 50Hz
INTERIOR DIMENSIONS	: 1275 X 682 X 1395MM
OUTSIDE DIMENSIONS	: 1425 X 818 X 1980MM
WEIGHT	: 197KG

UNDERCOUNTER - REFRIGERATOR AND FREEZER - S/STEEL



STORAGE REFRIGERATOR

USR0200

200LT - 598 x 623 x 838MM

SPECIFICATIONS

CAPACITY	: 200LT
NUMBER OF DOORS	: 1
TEMPERATURE RANGE	: +0°C to +8°C
REFRIGERANT	: R600A
VOLTAGE	: 220/240V
INTERIOR DIMENSIONS	: 477 x 443 x 652MM
OUTSIDE DIMENSIONS	: 598 x 623 x 838MM
RATED POWER	: 56W
WEIGHT	: 43KG



STORAGE FREEZER

USF0200

200LT - 598 x 623 x 838MM

SPECIFICATIONS

CAPACITY	: 200LT
NUMBER OF DOORS	: 1
TEMPERATURE RANGE	: -23°C to -18°C
REFRIGERANT	: R600A
VOLTAGE	: 220/240V
INTERIOR DIMENSIONS	: 493 X 478 X 635MM
OUTSIDE DIMENSIONS	: 598 x 623 x 838MM
RATED POWER	: 80W
WEIGHT	: 41KG

WINE COOLER

FEATURES

- Dual zone with air cooling
- Built in or Free standing
- Net capacity: 145L
- 46 bottles capacity, 750ml standard Bordeaux wine
- Frameless black glass door frame with standard hinge
- Grip Handle
- Black or S/S plinth ventilation



- 5 natural stronger beech wood shelves + 1 bottom
- LED display with touch screen control
- White interior lighting at the liner top
- Activated charcoal filter
- Reversible door (180° flip-over) with visible hinge
- Adjustable feet
- No frost

46 BOTTLES

WCS1046

SPECIFICATIONS

CERTIFICATIONS	: CE/CB/LVD/EMC/RoHS
VOLTAGE	: 220V-240V/50Hz
REFRIGERANT	: R600a
TEMPERATURE RANGE	: 5-12°C - /12-20°C
NEW ENERGY CLASS	: Class G
NOISE LEVEL	: 40dB
DIMENSIONS	: 595 x 578 x 820MM
WEIGHT	: 45KG



JUICE DISPENSERS

FEATURES

- LED illumination of bowl to enhance product display
- Individual temperature control of each bowl
- Clear polycarbonate bowl for easy cleaning



2 BOWL

JDS4002

SPECIFICATIONS

VOLTAGE	: 230V~/50Hz
POWER	: 280W
CAPACITY	: 2 X 18LT
WEIGHT	: 29KG
DIMENSIONS	: 510 x 470 x 740MM
REFRIGERANT	: R134



3 BOWL

JDS4003

SPECIFICATIONS

VOLTAGE	: 230V~/50Hz
POWER	: 320W
CAPACITY	: 3 X 18LT
WEIGHT	: 37KG
DIMENSIONS	: 750 X 470 X 740MM
REFRIGERANT	: R134



SLUSH MACHINES

FEATURES

- LED illumination of bowl to enhance product display
- Individual temperature control of each bowl
- Clear polycarbonate bowl for easy cleaning
- Free flow dispensing taps
- Continuous paddle agitation avoiding foaming and sedimentation
- High performance and easy to use designed baffle plate
- One bowl can be used as a juice dispenser



2 BOWL SMS2002

SPECIFICATIONS

VOLTAGE	: 230V~/50Hz
BOWL CAPACITY	: 2 X 12LT
DIMENSIONS	: 450 X 600 X 750MM
NET WEIGHT	: 48KG
POWER	: 1100W
CONTROL KEYBOARD	: Manual
DISPENSING MODE	: Manual
REFRIGERANT	: R404
TEMPERATURE RANGE	: -2°C to -3°C



3 BOWL SMS2003

SPECIFICATIONS

VOLTAGE	: 230V~/50Hz
BOWL CAPACITY	: 3 X 12LT
DIMENSIONS	: 600 X 600 X 750MM
NET WEIGHT	: 62KG
POWER	: 1350W
CONTROL KEYBOARD	: Manual
DISPENSING MODE	: Manual
REFRIGERANT	: R404
TEMPERATURE RANGE	: -2°C to -3°C



FROZEN YOGHURT MACHINES

The multi-purpose Summit machine combines technological innovation and versatility with ease of use, allowing you to delight your customers. Thanks to its innovative bowl temperature control system and push button that allows increased working speed, GT Push is the only counter-top machine on the market capable of preparing real frozen cream (coffee cream, hazelnut cream, etc.) as well as soft ice cream and frozen yoghurt.

With the GT Push you can prepare soft ice cream and frozen yoghurt, together with any product that can be prepared with a temperature between 7 and 10 degrees below zero.

FEATURES

- Compact counter machine
- Exceptional quality/price ratio
- LED based electronic key pad
- HACCP certified
- Lockable lid
- Designed to work with water or milk based dried products or with mixtures ready to be poured into the bowl, providing a significant overrun
- Automatic defrost mode
- Available in one or two bowl configuration

2 YEAR



GT1 PUSH - 1 BOWL

SIM1001

SPECIFICATIONS

CAPACITY	: 1 X 6LT
DIMENSIONS	: 260 X 425 X 650MM
NET WEIGHT	: 28KG
POWER	: 350W - 230V - 50Hz
CONTROL KEYBOARD	: Electronic with LED
DISPENSING MODE	: Manual
REFRIGERANT	: R404a
PREPARATION TIME	: 40 - 60min

2 YEAR



GT2 PUSH - 2 BOWL

SIM1002

SPECIFICATIONS

BOWL CAPACITY	: 2 X 6LT
DIMENSIONS	: 450 X 435 X 650MM
NET WEIGHT	: 46KG
POWER	: 765W - 230V - 50Hz
CONTROL KEYBOARD	: Electronic with LED
DISPENSING MODE	: Manual
REFRIGERAT	: R404a
PREPARATION TIME	: 40 - 60min